



# CHANNEL HOOKUP

## Honky

UF SoTD  
Black Box Theatre  
March 2016

LD: Josh Azoulay  
Asst. LD: Duncan Singleton  
ME: Todd Bedell

Chan	Dim	U#	Position	Purpose	Type & Acc & W	Color	Gobo
(1)	2/231	3	Under Cat Pipe South-West	Front Fill	ETC Lustr+ 26° 140w	LED	-
(2)	2/251	2	Under Cat Pipe South-West	Front Fill	ETC Lustr+ 26° 140w	LED	-
(3)	2/221	1	Under Cat Pipe South-West	Front Fill	ETC Lustr+ 26° 140w	LED	-
(4)	2/241	2	Bay 5 Pipe A	Front Fill	ETC Lustr+ 36° 140w	LED	-
(12)	2/211	1	Bay 6 East Pipe	Side Color Fill	ETC Lustr+ 50° 140w	LED	-
(13)	2/201	3	Bay 2 North Pipe	Side Color Fill	ETC Lustr+ 50° 140w	LED	-
(21)	1/180	1	Bay 9 South Pipe	D- Chair Front	ETC Source 4 36° 750w	R3204	-
(22)	1/120	1	Bay 6 South Pipe	D- Chair Front	ETC Source 4 36° 750w	R3204	-
(23)	1/72	2	Bay 6 Pipe 2	D- Door SL Top	ETC Source 4 PARNel 750w	R60	-
(24)	1/67	1	Bay 3 Pipe 1	D- Chair Top	ETC Source 4 PARNel 750w	R60	-
(25)	1/94	3	Bay 3 Pipe A	D- Desk Top	ETC Source 4 PARNel 750w	R60	-
(26)	1/11	3	Under Cat Pipe North	D- Window Back	ETC Source 4 50° 750w	R16	-
(27)	1/7	7	Under Cat Pipe North	D- Window Back	ETC Source 4 50° 750w	R16	-
(31)	1/117	2	Bay 6 South Pipe	E- Couch Side	ETC Source 4 36° 750w	R3308	-
(32)	1/89	2	Bay 5 West Pipe	E- Chair Front	ETC Source 4 36° 750w	R3308	-
(33)	1/20	1	Bay 1 West Pipe	E- Couch Front	ETC Source 4 36° 750w	R3308	-
(34)	1/42	1	Bay 3 South Pipe	E- Chair Top	8" Fres 1kW	N/C	-
(35)	1/39	2	Bay 3 West Pipe	E- Couch Top	8" Fres 1kW	N/C	-
(36)	1/95	3	Bay 3 Pipe 2	E- Desk Top	8" Fres 1kW	N/C	-
(37)	1/27	3	Bay 2 Pipe 1	E- Door Top	8" Fres 1kW	N/C	-
(38)	1/80	1	Bay 4 West Pipe	E- Couch Side	ETC Source 4 26° 750w	R3308	-
(39)	1/115	1	Bay 5 South Pipe	E- Couch Front	ETC Source 4 26° 750w	R3308	-
(41)	1/100	1	Bay 6 Pipe 1	P- Bed Front	ETC Source 4 36° 750w	R3202	-
(42)	1/30	1	Bay 2 West Pipe	P- Bed Side	ETC Source 4 36° 750w	R3202	-
(43)	1/26	3	Bay 2 West Pipe	P- Desk Side	ETC Source 4 36° 750w	R3202	-
(44)	1/58	2	Bay 3 South Pipe	P- Corner Front	ETC Source 4 36° 750w	R3202	-
(45)	1/93	1	Bay 3 Pipe A	P- Bed Top	ETC Source 4 PARNel 750w	G872	-



# CHANNEL HOOKUP

## Honky

Chan	Dim	U#	Position	Purpose	Type & Acc & W	Color	Gobo
(46)	1/68	2	Bay 3 Pipe 2	P- Corner Top	ETC Source 4 PARNel 750w	G872	-
(47)	1/32	1	Bay 2 North Pipe	P- Desk Top	ETC Source 4 PARNel 750w	G872	-
(51)	1/150	1	Bay 8 West Pipe	DA- SL Front	ETC Source 4 26° 750w	R3202	-
(52)	1/136	1	Bay 7 West Pipe	DA- Center Front	ETC Source 4 26° 750w	R3202	-
(53)	1/76	2	Bay 4 West Pipe	DA- SR Front	ETC Source 4 26° 750w	R3202	-
(54)	1/97	1	Bay 6 Pipe A	DA- SL Top	ETC Source 4 PARNel 750w	R68	-
(55)	1/96	4	Bay 3 South Pipe	DA- Center Top	ETC Source 4 PARNel 750w	R68	-
(56)	1/36	1	Bay 3 East Pipe Top	DA- Fredrick Douglas	ETC Source 4 19° 750w	R357	-
(57)	1/71	1	Bay 6 Pipe 2	DA- Texture SL	ETC Source 4 36° 750w	R357	R7223
(58)	1/92	2	Bay 3 Pipe A	DA- Texture Center	ETC Source 4 36° 750w	R357	R7223
(59)	1/34	2	Bay 2 Pipe 1	DA- Texture SR	ETC Source 4 36° 750w	R357	R7223
(60)	1/44	9	Under Cat Pipe East	DA- Back	ETC Source 4 PAR MFL 750w	G872	-
(61)	1/59	10	Under Cat Pipe East	DA- Back	ETC Source 4 PAR MFL 750w	G872	-
(62)	1/14	1	Under Cat Pipe North	DA- Back	ETC Source 4 PAR MFL 750w	G872	-
(63)	1/12	2	Under Cat Pipe North	DA- Back	ETC Source 4 PAR MFL 750w	G872	-
(64)	1/53	2	Bay 2 Pipe A	DA- SR Top	ETC Source 4 PARNel 750w	R68	-
(71)	1/111	2	Bay 5 South Pipe	T- Bed Front	ETC Source 4 36° 750w	R3308	-
(72)	1/52	1	Bay 2 Pipe A	T- Bed Side	ETC Source 4 36° 750w	R3308	-
(73)	1/40	1	Bay 3 West Pipe	T- Bed Top	ETC Source 4 PARNel 750w	R3204	-
(74)	1/37	2	Bay 3 North Pipe	T- Bed Back	ETC Source 4 36° 750w	R3308	-
(81)	1/90	1	Bay 5 West Pipe	Dr- Chair Front	ETC Source 4 36° 750w	R3208	-
(82)	1/17	1	Under Cat Pipe West	Dr- Desk Side	ETC Source 4 26° 750w	R3208	-
(83)	1/99	2	Bay 6 Pipe 1	Dr- Desk Front	ETC Source 4 26° 750w	R3208	-
(84)	1/54	2	Bay 2 South Pipe	Dr- Desk Front	ETC Source 4 26° 750w	R3208	-
(85)	1/29	2	Bay 2 West Pipe	Dr- Chair Side	ETC Source 4 26° 750w	R3208	-
(86)	1/57	3	Bay 3 South Pipe	Driscoll's	ETC Source 4 26° 750w	R3208	-
(87)	1/35	2	Bay 2 North Pipe	Dr- Desk Back	ETC Source 4 19° 750w	R3208	-
(88)	1/33	1	Bay 2 Pipe 1	Dr- Desk Top	ETC Source 4 PARNel 750w	R3204	-
(89)	1/38	3	Bay 3 West Pipe	Dr- Chair Top	ETC Source 4 PARNel 750w	R3204	-



# CHANNEL HOOKUP

## Honky

Chan	Dim	U#	Position	Purpose	Type & Acc & W	Color	Gobo
(90)	1/75	2	Bay 6 North Pipe	Dr- SL Top	ETC Source 4 PARNel 750w	R3204	-
(91)	1/116	3	Bay 6 South Pipe	S- SL Front	ETC Source 4 36° 750w	R3204	-
(92)	1/86	3	Bay 5 West Pipe	S- Center Front	ETC Source 4 36° 750w	R3204	-
(93)	1/74	2	Bay 6 Pipe A	S- SL Top	ETC Source 4 50° 750w	G872	-
(94)	1/55	1	Bay 2 South Pipe	S-SR Top	ETC Source 4 50° 750w	G872	-
(95)	1/43	1	Bay 3 East Pipe	S- Back	ETC Source 4 50° 750w	G872	-
(96)	1/243	6	Floor Mount North	S- Side	ETC Source 4 50° 750w	G872	-
(101)	1/276	4	Floor Mount North	Wall Backlight	Selecon Pacific 50° 575w	LED	-
(102)	2/306	2	Floor Mount North	Wall Backlight	Selecon Pacific 50° 575w	LED	-
(103)	2/262	4	Floor Mount East	Wall Backlight	Selecon Pacific 50° 575w	LED	-
(104)	2/291	2	Floor Mount East	Wall Backlight	Selecon Pacific 50° 575w	LED	-
(105)	2/321	3	Floor Mount North	Wall Backlight	Selecon Pacific 50° 575w	LED	-
(106)	2/336	3	Floor Mount East	Wall Backlight	Selecon Pacific 50° 575w	LED	-
(111)	1/244	5	Floor Mount North	Wall Texture	ETC Source 4 70° 750w	-	-
(112)	1/246	1	Floor Mount North	Wall Texture	ETC Source 4 70° 750w	-	-
(113)	1/251	5	Floor Mount East	Wall Texture	ETC Source 4 70° 750w	-	-
(114)	1/260	1	Floor Mount East	Wall Texture	ETC Source 4 70° 750w	-	-
(115)	1/256	1	Boom 1	P- Wall	ETC Source 4 70° 750w	R3204	-
(121)	1/101	1	Under Cat Pipe East	Back Fill- Cool	ETC Source 4 50° 750w	R3202	-
(122)	1/104	2	Under Cat Pipe East	Back Fill- Cool	ETC Source 4 36° 750w	R3202	-
(123)	1/105	3	Under Cat Pipe East	Back Fill- Cool	ETC Source 4 36° 750w	R3202	-
(124)	1/8	8	Under Cat Pipe North	Back Fill- Cool	ETC Source 4 36° 750w	R3202	-
(125)	1/9	9	Under Cat Pipe North	Back Fill- Cool	ETC Source 4 36° 750w	R3202	-
(126)	1/10	10	Under Cat Pipe North	Back Fill- Cool	ETC Source 4 50° 750w	R3202	-
(131)	1/103	5	Under Cat Pipe East	Back Fill- Warm	ETC Source 4 50° 750w	R02	-
(132)	1/60	6	Under Cat Pipe East	Back Fill- Warm	ETC Source 4 50° 750w	R02	-
(133)	1/56	7	Under Cat Pipe East	Back Fill- Warm	ETC Source 4 36° 750w	R02	-
(134)	1/13	4	Under Cat Pipe North	Back Fill- Warm	ETC Source 4 36° 750w	R02	-
(135)	1/15	5	Under Cat Pipe North	Back Fill- Warm	ETC Source 4 50° 750w	R02	-



# CHANNEL HOOKUP

## Honky

Chan	Dim	U#	Position	Purpose	Type & Acc & W	Color	Gobo
(136)	1/6	6	Under Cat Pipe North	Back Fill- Warm	ETC Source 4 50° 750w	R02	-
(151)	1/16	2	Bay 1 West Pipe	SMP- Thomas Special	ETC Source 4 26° 750w	R3204	-
(152)	1/171	2	Bay 8 South Pipe	SMP- Front	ETC Source 4 26° 750w	-	-
(153)	1/175	1	Bay 8 South Pipe	SMP- Front	ETC Source 4 26° 750w	-	-
(154)	1/178	2	Bay 9 South Pipe	SMP- Front	ETC Source 4 26° 750w	-	-
(155)	1/73	1	Bay 6 North Pipe	SMP- Down	ETC Source 4 50° 750w	-	-
(156)	1/66	1	Bay 3 Pipe 2	SMP- Down	ETC Source 4 50° 750w	-	-
(157)	1/31	1	Bay 2 East Pipe	SMP- Down	ETC Source 4 50° 750w	-	-
(161)	1/102	4	Under Cat Pipe East	Dr- Window	ETC Source 4 36° 750w	R02	-
(162)	1/41	8	Under Cat Pipe East	Dr- Window	ETC Source 4 36° 750w	R02	-
(163)	1/45	11	Under Cat Pipe East	Dr- Window	ETC Source 4 36° 750w	R02	-
(200)	1/50	1	Bay 1 South Pipe	House Light	PAR 64 MFL 1kW	N/C	-
	1/110	"	Bay 4 South Pipe	"	"	"	"
	1/112	"	Bay 5 Pipe A	"	"	"	"
	1/146	2	Bay 8 West Pipe	"	"	"	"
	1/135	1	Bay 9 North Pipe	"	"	"	"



# INSTRUMENT SCHEDULE

3/5/16

## Honky

UF SoTD  
Black Box Theatre  
March 2016

LD: Josh Azoulay  
Asst. LD: Duncan Singleton  
ME: Todd Bedell

### TABLE OF CONTENTS

Bay 1 South Pipe .....	1	Bay 5 Pipe A .....	4
Bay 1 West Pipe .....	1	Bay 6 North Pipe .....	4
Bay 2 North Pipe .....	1	Bay 6 East Pipe .....	4
Bay 2 East Pipe .....	1	Bay 6 South Pipe .....	4
Bay 2 South Pipe .....	1	Bay 6 Pipe A .....	4
Bay 2 West Pipe .....	1	Bay 6 Pipe 1 .....	4
Bay 2 Pipe A .....	2	Bay 6 Pipe 2 .....	4
Bay 2 Pipe 1 .....	2	Bay 7 West Pipe .....	5
Bay 3 North Pipe .....	2	Bay 8 South Pipe .....	5
Bay 3 East Pipe .....	2	Bay 8 West Pipe .....	5
Bay 3 South Pipe .....	2	Bay 9 North Pipe .....	5
Bay 3 West Pipe .....	2	Bay 9 South Pipe .....	5
Bay 3 Pipe A .....	3	Under Cat Pipe North .....	5
Bay 3 Pipe 1 .....	3	Under Cat Pipe East .....	6
Bay 3 Pipe 2 .....	3	Under Cat Pipe West .....	6
Bay 4 South Pipe .....	3	Boom 1 .....	6
Bay 4 West Pipe .....	3	Floor Mount North .....	6
Bay 5 South Pipe .....	3	Floor Mount East .....	7
Bay 5 West Pipe .....	3	Bay 3 East Pipe Top .....	7
		Under Cat Pipe South-West .....	7



# INSTRUMENT SCHEDULE

## Honky

UF SoTD  
Black Box Theatre  
March 2016

LD: Josh Azoulay  
Asst. LD: Duncan Singleton  
ME: Todd Bedell

### Bay 1 South Pipe

Unit#	Chan	Dimmer	Purpose	Inst Type & Access & Watt	Color	Gobo
1	(200)	1/50	House Light	PAR 64 MFL 1kW	N/C	-

### Bay 1 West Pipe

Unit#	Chan	Dimmer	Purpose	Inst Type & Access & Watt	Color	Gobo
1	(33)	1/20	E- Couch Front	ETC Source 4 36° 750w	R3308	-
2	(151)	1/16	SMP- Thomas Special	ETC Source 4 26° 750w	R3204	-

### Bay 2 North Pipe

Unit#	Chan	Dimmer	Purpose	Inst Type & Access & Watt	Color	Gobo
1	(47)	1/32	P- Desk Top	ETC Source 4 PARNel 750w	G872	-
2	(87)	1/35	Dr- Desk Back	ETC Source 4 19° 750w	R3208	-
3	(13)	2/201	Side Color Fill	ETC Lustr+ 50° 140w	LED	-

### Bay 2 East Pipe

Unit#	Chan	Dimmer	Purpose	Inst Type & Access & Watt	Color	Gobo
1	(157)	1/31	SMP- Down	ETC Source 4 50° 750w	-	-

### Bay 2 South Pipe

Unit#	Chan	Dimmer	Purpose	Inst Type & Access & Watt	Color	Gobo
1	(94)	1/55	S-SR Top	ETC Source 4 50° 750w	G872	-
2	(84)	1/54	Dr- Desk Front	ETC Source 4 26° 750w	R3208	-

### Bay 2 West Pipe

Unit#	Chan	Dimmer	Purpose	Inst Type & Access & Watt	Color	Gobo
1	(42)	1/30	P- Bed Side	ETC Source 4 36° 750w	R3202	-
2	(85)	1/29	Dr- Chair Side	ETC Source 4 26° 750w	R3208	-
3	(43)	1/26	P- Desk Side	ETC Source 4 36° 750w	R3202	-



# INSTRUMENT SCHEDULE

## Honky

### Bay 2 Pipe A

Unit#	Chan	Dimmer	Purpose	Inst Type & Access & Watt	Color	Gobo
1	(72)	1/52	T- Bed Side	ETC Source 4 36° 750w	R3308	-
2	(64)	1/53	DA- SR Top	ETC Source 4 PARNeI 750w	R68	-

### Bay 2 Pipe 1

Unit#	Chan	Dimmer	Purpose	Inst Type & Access & Watt	Color	Gobo
1	(88)	1/33	Dr- Desk Top	ETC Source 4 PARNeI 750w	R3204	-
2	(59)	1/34	DA- Texture SR	ETC Source 4 36° 750w	R357	R7223
3	(37)	1/27	E- Door Top	8" Fres 1kW	N/C	-

### Bay 3 North Pipe

Unit#	Chan	Dimmer	Purpose	Inst Type & Access & Watt	Color	Gobo
2	(74)	1/37	T- Bed Back	ETC Source 4 36° 750w	R3308	-

### Bay 3 East Pipe

Unit#	Chan	Dimmer	Purpose	Inst Type & Access & Watt	Color	Gobo
1	(95)	1/43	S- Back	ETC Source 4 50° 750w	G872	-

### Bay 3 South Pipe

Unit#	Chan	Dimmer	Purpose	Inst Type & Access & Watt	Color	Gobo
1	(34)	1/42	E- Chair Top	8" Fres 1kW	N/C	-
2	(44)	1/58	P- Corner Front	ETC Source 4 36° 750w	R3202	-
3	(86)	1/57	Driscoll's	ETC Source 4 26° 750w	R3208	-
4	(55)	1/96	DA- Center Top	ETC Source 4 PARNeI 750w	R68	-

### Bay 3 West Pipe

Unit#	Chan	Dimmer	Purpose	Inst Type & Access & Watt	Color	Gobo
1	(73)	1/40	T- Bed Top	ETC Source 4 PARNeI 750w	R3204	-
2	(35)	1/39	E- Couch Top	8" Fres 1kW	N/C	-
3	(89)	1/38	Dr- Chair Top	ETC Source 4 PARNeI 750w	R3204	-



# INSTRUMENT SCHEDULE

## Honky

### Bay 3 Pipe A

Unit#	Chan	Dimmer	Purpose	Inst Type & Access & Watt	Color	Gobo
1	(45)	1/93	P- Bed Top	ETC Source 4 PARNeI 750w	G872	-
2	(58)	1/92	DA- Texture Center	ETC Source 4 36° 750w	R357	R7223
3	(25)	1/94	D- Desk Top	ETC Source 4 PARNeI 750w	R60	-

### Bay 3 Pipe 1

Unit#	Chan	Dimmer	Purpose	Inst Type & Access & Watt	Color	Gobo
1	(24)	1/67	D- Chair Top	ETC Source 4 PARNeI 750w	R60	-

### Bay 3 Pipe 2

Unit#	Chan	Dimmer	Purpose	Inst Type & Access & Watt	Color	Gobo
1	(156)	1/66	SMP- Down	ETC Source 4 50° 750w	-	-
2	(46)	1/68	P- Corner Top	ETC Source 4 PARNeI 750w	G872	-
3	(36)	1/95	E- Desk Top	8" Fres 1kW	N/C	-

### Bay 4 South Pipe

Unit#	Chan	Dimmer	Purpose	Inst Type & Access & Watt	Color	Gobo
1	(200)	1/110	House Light	PAR 64 MFL 1kW	N/C	-

### Bay 4 West Pipe

Unit#	Chan	Dimmer	Purpose	Inst Type & Access & Watt	Color	Gobo
1	(38)	1/80	E- Couch Side	ETC Source 4 26° 750w	R3308	-
2	(53)	1/76	DA- SR Front	ETC Source 4 26° 750w	R3202	-

### Bay 5 South Pipe

Unit#	Chan	Dimmer	Purpose	Inst Type & Access & Watt	Color	Gobo
1	(39)	1/115	E- Couch Front	ETC Source 4 26° 750w	R3308	-
2	(71)	1/111	T- Bed Front	ETC Source 4 36° 750w	R3308	-

### Bay 5 West Pipe

Unit#	Chan	Dimmer	Purpose	Inst Type & Access & Watt	Color	Gobo
1	(81)	1/90	Dr- Chair Front	ETC Source 4 36° 750w	R3208	-
2	(32)	1/89	E- Chair Front	ETC Source 4 36° 750w	R3308	-
3	(92)	1/86	S- Center Front	ETC Source 4 36° 750w	R3204	-





# INSTRUMENT SCHEDULE

## Honky

### Bay 5 Pipe A

Unit#	Chan	Dimmer	Purpose	Inst Type & Access & Watt	Color	Gobo
1	(200)	1/112	House Light	PAR 64 MFL 1kW	N/C	-
2	(4)	2/241	Front Fill	ETC Lustr+ 36° 140w	LED	-

### Bay 6 North Pipe

Unit#	Chan	Dimmer	Purpose	Inst Type & Access & Watt	Color	Gobo
1	(155)	1/73	SMP- Down	ETC Source 4 50° 750w	-	-
2	(90)	1/75	Dr- SL Top	ETC Source 4 PARNel 750w	R3204	-

### Bay 6 East Pipe

Unit#	Chan	Dimmer	Purpose	Inst Type & Access & Watt	Color	Gobo
1	(12)	2/211	Side Color Fill	ETC Lustr+ 50° 140w	LED	-

### Bay 6 South Pipe

Unit#	Chan	Dimmer	Purpose	Inst Type & Access & Watt	Color	Gobo
1	(22)	1/120	D- Chair Front	ETC Source 4 36° 750w	R3204	-
2	(31)	1/117	E- Couch Side	ETC Source 4 36° 750w	R3308	-
3	(91)	1/116	S- SL Front	ETC Source 4 36° 750w	R3204	-

### Bay 6 Pipe A

Unit#	Chan	Dimmer	Purpose	Inst Type & Access & Watt	Color	Gobo
1	(54)	1/97	DA- SL Top	ETC Source 4 PARNel 750w	R68	-
2	(93)	1/74	S- SL Top	ETC Source 4 50° 750w	G872	-

### Bay 6 Pipe 1

Unit#	Chan	Dimmer	Purpose	Inst Type & Access & Watt	Color	Gobo
1	(41)	1/100	P- Bed Front	ETC Source 4 36° 750w	R3202	-
2	(83)	1/99	Dr- Desk Front	ETC Source 4 26° 750w	R3208	-

### Bay 6 Pipe 2

Unit#	Chan	Dimmer	Purpose	Inst Type & Access & Watt	Color	Gobo
1	(57)	1/71	DA- Texture SL	ETC Source 4 36° 750w	R357	R7223
2	(23)	1/72	D- Door SL Top	ETC Source 4 PARNel 750w	R60	-



# INSTRUMENT SCHEDULE

## Honky

### Bay 7 West Pipe

Unit#	Chan	Dimmer	Purpose	Inst Type & Access & Watt	Color	Gobo
1	(52)	1/136	DA- Center Front	ETC Source 4 26° 750w	R3202	-

### Bay 8 South Pipe

Unit#	Chan	Dimmer	Purpose	Inst Type & Access & Watt	Color	Gobo
1	(153)	1/175	SMP- Front	ETC Source 4 26° 750w	-	-
2	(152)	1/171	SMP- Front	ETC Source 4 26° 750w	-	-

### Bay 8 West Pipe

Unit#	Chan	Dimmer	Purpose	Inst Type & Access & Watt	Color	Gobo
1	(51)	1/150	DA- SL Front	ETC Source 4 26° 750w	R3202	-
2	(200)	1/146	House Light	PAR 64 MFL 1kW	N/C	-

### Bay 9 North Pipe

Unit#	Chan	Dimmer	Purpose	Inst Type & Access & Watt	Color	Gobo
1	(200)	1/135	House Light	PAR 64 MFL 1kW	N/C	-

### Bay 9 South Pipe

Unit#	Chan	Dimmer	Purpose	Inst Type & Access & Watt	Color	Gobo
1	(21)	1/180	D- Chair Front	ETC Source 4 36° 750w	R3204	-
2	(154)	1/178	SMP- Front	ETC Source 4 26° 750w	-	-

### Under Cat Pipe North

Unit#	Chan	Dimmer	Purpose	Inst Type & Access & Watt	Color	Gobo
1	(62)	1/14	DA- Back	ETC Source 4 PAR MFL 750w	G872	-
2	(63)	1/12	DA- Back	ETC Source 4 PAR MFL 750w	G872	-
3	(26)	1/11	D- Window Back	ETC Source 4 50° 750w	R16	-
4	(134)	1/13	Back Fill- Warm	ETC Source 4 36° 750w	R02	-
5	(135)	1/15	Back Fill- Warm	ETC Source 4 50° 750w	R02	-
6	(136)	1/6	Back Fill- Warm	ETC Source 4 50° 750w	R02	-
7	(27)	1/7	D- Window Back	ETC Source 4 50° 750w	R16	-
8	(124)	1/8	Back Fill- Cool	ETC Source 4 36° 750w	R3202	-
9	(125)	1/9	Back Fill- Cool	ETC Source 4 36° 750w	R3202	-
10	(126)	1/10	Back Fill- Cool	ETC Source 4 50° 750w	R3202	-



# INSTRUMENT SCHEDULE

## Honky

### Under Cat Pipe East

Unit#	Chan	Dimmer	Purpose	Inst Type & Access & Watt	Color	Gobo
1	(121)	1/101	Back Fill- Cool	ETC Source 4 50° 750w	R3202	-
2	(122)	1/104	Back Fill- Cool	ETC Source 4 36° 750w	R3202	-
3	(123)	1/105	Back Fill- Cool	ETC Source 4 36° 750w	R3202	-
4	(161)	1/102	Dr- Window	ETC Source 4 36° 750w	R02	-
5	(131)	1/103	Back Fill- Warm	ETC Source 4 50° 750w	R02	-
6	(132)	1/60	Back Fill- Warm	ETC Source 4 50° 750w	R02	-
7	(133)	1/56	Back Fill- Warm	ETC Source 4 36° 750w	R02	-
8	(162)	1/41	Dr- Window	ETC Source 4 36° 750w	R02	-
9	(60)	1/44	DA- Back	ETC Source 4 PAR MFL 750w	G872	-
10	(61)	1/59	DA- Back	ETC Source 4 PAR MFL 750w	G872	-
11	(163)	1/45	Dr- Window	ETC Source 4 36° 750w	R02	-

### Under Cat Pipe West

Unit#	Chan	Dimmer	Purpose	Inst Type & Access & Watt	Color	Gobo
1	(82)	1/17	Dr- Desk Side	ETC Source 4 26° 750w	R3208	-

### Boom 1

Unit#	Chan	Dimmer	Purpose	Inst Type & Access & Watt	Color	Gobo
1	(115)	1/256	P- Wall	ETC Source 4 70° 750w	R3204	-

### Floor Mount North

Unit#	Chan	Dimmer	Purpose	Inst Type & Access & Watt	Color	Gobo
1	(112)	1/246	Wall Texture	ETC Source 4 70° 750w	-	-
2	(102)	2/306	Wall Backlight	Selecon Pacific 50° 575w	LED	-
3	(105)	2/321	Wall Backlight	Selecon Pacific 50° 575w	LED	-
4	(101)	1/276	Wall Backlight	Selecon Pacific 50° 575w	LED	-
5	(111)	1/244	Wall Texture	ETC Source 4 70° 750w	-	-
6	(96)	1/243	S- Side	ETC Source 4 50° 750w	G872	-



# INSTRUMENT SCHEDULE

## Honky

### Floor Mount East

Unit#	Chan	Dimmer	Purpose	Inst Type & Access & Watt	Color	Gobo
1	(114)	1/260	Wall Texture	ETC Source 4 70° 750w	-	-
2	(104)	2/291	Wall Backlight	Selecon Pacific 50° 575w	LED	-
3	(106)	2/336	Wall Backlight	Selecon Pacific 50° 575w	LED	-
4	(103)	2/262	Wall Backlight	Selecon Pacific 50° 575w	LED	-
5	(113)	1/251	Wall Texture	ETC Source 4 70° 750w	-	-

### Bay 3 East Pipe Top

Unit#	Chan	Dimmer	Purpose	Inst Type & Access & Watt	Color	Gobo
1	(56)	1/36	DA- Fredrick Douglas	ETC Source 4 19° 750w	R357	-

### Under Cat Pipe South-West

Unit#	Chan	Dimmer	Purpose	Inst Type & Access & Watt	Color	Gobo
1	(3)	2/221	Front Fill	ETC Lustr+ 26° 140w	LED	-
2	(2)	2/251	Front Fill	ETC Lustr+ 26° 140w	LED	-
3	(1)	2/231	Front Fill	ETC Lustr+ 26° 140w	LED	-